



Venue Maker Pro™ Stage*



Features

The new Venue Maker Pro™ (VMP) Stage* is in a class of its own. With its patent pending design, top leveling system, unique guardrail attachment and v-shaped frame for easy access under the stage, the VMP is ready to take on your venue's next performance with ease.

* Patent Pending



Accessorize your stage with everything you need for any event. Including unique guardrail system, ramps, stairs, drapes, stage deck surface options and more. All seamlessly attaching to the VMP Stage.


- ① Reversible Decks
- ② Top Leveling (Optional)
- ③ 4-Way Bridging
- ④ Step-Through Design
- ⑤ Transport Lock
- ⑥ Frame Lock
- ⑦ Compact Folding Frame
- ⑧ Frame Leveling
- ⑨ Caster Lift Mechanism
- ⑩ Adjustable Leg (2" Increments)
(Single Height Options Avail. on Low-Height Frames)
- ⑪ 4'x8'; 8'x8'; 12'x8' Frame Sizes
(1.2x2.4m; 2.4x2.4m; 3.6x2.4m)

Maximize Storage

The smallest storage footprint of any stage in its class. Roll or forklift into and out of use. Easily engage the smooth rolling and durable casters using the caster lift mechanism, which makes moving the entire stage unit with one person easy. Stack 3 frames on top of one another to utilize vertical storage space.



Bridging



- 75- Total Decks
- 39- Bridged Decks
- 36- Decks on Frames
- 12- Frame Units

Standard Bridging



Unit-to-Unit Bridging




Utilize deck bridging to increase your ROI. Save on set-up time, cost, storage, and weight. Over half the stage decks do not need frames for support (depending on configuration).

Have plenty of open access below stage for storage, cords, or personnel.

*All size frames allow for bridging. Actual configuration may vary.

- Uniformly Distributed Load: 125 psf (6.0 kN/m²).
- Sway Load: 5% of uniformly distributed load.
- Point Load: 200 lbs (90 kg) on a 4"x4" (10x10cm) area.

Sizes



Specifications

Size	Description	Height	Weight
4' x 8' (1.2mx2.4m)	Non-Bridging	8" (20cm)	12 lbs. (5.5kg)
		12" (30cm)	38 lbs. (17kg)
	Top Leveling	32"-48" (81-122cm)	220 lbs. (100kg)
		40"-60" (102-152cm)	247 lbs. (112kg)
		48"-78" (122-198cm)	270 lbs. (122kg)
	Non-Top Leveling	12" (30cm)	52 lbs. (24kg)
		16" (41cm)	64 lbs. (29kg)
		18" (46cm)	69 lbs. (31kg)
		24" (61cm)	95 lbs. (43kg)
		30" (76cm)	102 lbs. (46kg)
		32" (81cm)	104 lbs. (47kg)
		18" & 24" (46 & 61cm)	106 lbs. (48kg)
		24" & 32" (61 & 81cm)	112 lbs. (51kg)
		24", 30" & 36" (61, 76 & 91cm)	113 lbs. (51.5kg)
		32"-48" (81-122cm)	220 lbs. (100kg)
40"-60" (102-152cm)	247 lbs. (112kg)		
48"-78" (122-198cm)	270 lbs. (122kg)		
8' x 8' (2.4m x 2.4m)	Top Leveling	32"-48" (81-122cm)	346 lbs. (157kg)
		40"-60" (102-152cm)	394 lbs. (179kg)
		48"-78" (122-198cm)	434 lbs. (197kg)
	Non-Top Leveling	32"-48" (81-122cm)	346 lbs. (157kg)
		40"-60" (102-152cm)	394 lbs. (179kg)
		48"-78" (122-198cm)	434 lbs. (197kg)
12' x 8' (3.6m x 2.4m)	Top Leveling	32"-48" (81-122cm)	478 lbs. (217kg)
		40"-60" (102-152cm)	533 lbs. (242kg)
		48"-78" (122-198cm)	581 lbs. (264kg)
	Non-Top Leveling	32"-48" (81-122cm)	478 lbs. (217kg)
		40"-60" (102-152cm)	533 lbs. (242kg)
		48"-78" (122-198cm)	581 lbs. (264kg)
4' x 8' (1.2mx2.4m)	Stage Deck	3.25" (8.3cm)	122 lbs. (55kg)
(See Next Page)	Deck Caddy	65.5" (166cm)	125 lbs. (57kg)
(See Next Page)	Small Caddy*	70.5" (179cm)	134 lbs. (61kg)
(See Next Page)	Large Caddy*	75.5" (192cm)	210 lbs. (95kg)

* For Low-Height Frame Option Only


Storage

Size	Height	Dimensions*: Active Storage (L x W x H)	Dimensions: Without Decks (L x W x H)
4' x 8' (1.2m x 2.4m)	32"-48" (81-122cm)	48"x98"x39.5" (122x249x100cm)	23"x98"x31.5" (58x249x80cm)
	40"-60" (102-152cm)	48"x98"x47.5" (122x249x120cm)	23"x98"x39.5" (58x249x100cm)
	48"-78" (122-198cm)	48"x98"x55.5" (122x249x141cm)	23"x98"x47.5" (58x249x120cm)
8' x 8' (2.4m x 2.4m)	32"-48" (81-122cm)	55"x98"x39.5" (140x249x100cm)	19"x98"x31.5" (48x249x80cm)
	40"-60" (102-152cm)	55"x98"x47.5" (140x249x120cm)	19"x98"x39.5" (48x249x100cm)
	48"-78" (122-198cm)	55"x98"x55.5" (140x249x141cm)	19"x98"x47.5" (48x249x120cm)
12' x 8' (3.6m x 2.4m)	32"-48" (81-122cm)	63"x98"x39.5" (160x249x100cm)	27"x98"x31.5" (69x249x80cm)
	40"-60" (102-152cm)	63"x98"x47.5" (160x249x120cm)	27"x98"x39.5" (69x249x100cm)
	48"-78" (122-198cm)	63"x98"x55.5" (160x249x141cm)	27"x98"x47.5" (69x249x120cm)



Deck Pallet: Store the decks on a separate pallet to roll or forklift into storage.

(15 decks max. per pallet)




Low-Height Frames


Storage & Transport Caddies:

The low height frame storage caddy can store up to 12 frames on the large model and 6 frames on the small model (including all pin connectors).



Deck Caddy (L x W x H)
35" x 100" x 65.5"
(89 x 254 x 166cm)



Small Caddy* (L x W x H)
34.5" x 92.5" x 70.5"
(88 x 235 x 179cm)



Large Caddy* (L x W x H)
60" x 113" x 75.5"
(152 x 287 x 192cm)



* For Low-Height Frame Option Only



SICO Incorporated -
Global Headquarters

SICO America Inc.
Tel: 1 (800) 328 6138
Email: sales@sicoinc.com

SICO Japan Inc.
Tel: +81(3) 3288 0145
Email: info@sico-japan.com

SICO Asia PTE LTD
Tel: (65) 6500 0800
Email: sales@sicoasia.com

SICO Middle East DMCC
Tel: (971) 4 880 9388
Email: sales@sico-me.com

SICO Europe Limited
Tel: +44(0) 1303 234 000
Email: sales@sico-europe.com

SICO South Pacific Limited
Tel: +61(2) 4336 1333
Email: sales@sicosp.com.au

sicoinc.com 